

# TO MAKE YOU SMILE ON STAGE.

DMIRAL staging essentials is all about entertainment. We like to develop and improve tools for this industry. Our goal at Admiral is to make your life easier! Our designs are unique and made te be as user-friendly as possible. We design to improve on noise reduction, safety and health for the best possible price. Entertainment is all about smiling on stage, ADMIRAL products help you build your stages with a smile.



Some of our products have a product video. Scan the code with the camera on your smartphone or tablet in order to watch the video.


(Some devices need a QR code app)

## **MODULAR TRANSPORT** FORK-SIDE PANNELS

Assembling the transport rack to suit your needs is easy with the modular building blocks of Admiral.

Standard available profiles can be combined with two "Fork-side panels". Choose your appropriate length and height, to design your own custom transporter.

L 160 L 180 L 210 L 250







H 103














# Design that meat rack that fits all of your luminairs.





#### **MEATRACK FOR FIXTURES**

Our meatracks with a width of 60cm are made to transport your moving heads, lighting bars or single luminaires. Single luminaires can be hung on aluminium (or steel) bars. Four or six of those bars can be hung on brackets.



Admiralstaging.com

**TRANSPORT** 



▲ Fork-side Panel H203, L210.



#### **MEATRACK HANGING FORK**

To hang bars or tubes in the Admiral meatrack a hanging fork is availbable. These forks are available with a width of 50 mm and 80 mm. To secure the fork a M8x65 bolt is needed. A quick lock pin for the forks is also available.



A quick and innovative way to change the forks and tubes of the meat rack is by using this special shaped metal pin. Where you normally have to assemble nuts and bolts, you are now able to use the pin. It is equipped with an attached safety mechanism to lock the pin. No more tools or lost bolts and nuts.


#### **GOLIATH SIDE PANEL**



### **MEATRACK FOR**

for large fixtures.

tance and start loading!



▲ Fork-side Panel H103, L180.

### **LARGE FIXTURES**

Transporting 2kW moving heads or theatre luminaires becomes an easy task using the 80cm wide meat rack

It accommodates luminaires with a diameter (or base) of 40cm. Install your hanging tubes at the desired dis-



of this cart. This tube can be rotated with

a foldable handle. After use, this handle

folds between the bracket of the cart.



### **MODULAR TRANSPORT** SLIM-LINE PANNELS

A second type of transport rack can be assembled with the slimline side panels. This rack can be equipped for multiple options. Admiral has made some standard assemblies for you, but feel free to think "out of the box" and design your own dedicated transporter!


Even more design options with the slim line pannels and the centre bracket.

L 50

L 80

L 160

L 210



**TRANSPORT** 

H 203



H 103





















#### **SIDELIGHT TOWERS\***

Sidelight towers can be equipped with moving heads, theatre luminaires, and other lighting fixtures. The position of the hanging bar can be symmetrical or asymmetrical in this dolly, depending on what you transport: Profile spots or moving heads.











#### **STORAGE CART**

Store and carry filter frames, cables, and tools for your event in this storage cart. The plastic containers slide easily on a bracket and are securely held in place when inserted into the cart.





#### **CENTER POSITION BRACKETS H110 AND H210**

In all of the carts, you can additionally mount a center bracket. Position your bracket in the middle for transporting cables on both sides or anywhere else along the side for transporting cables on one side.





▲ Slim-line Panel H103, L160 with centre bracket.

▲ Slim-line Panel H103, L80 with centre bracket.



210cm

160cm

#### **CABLE SUPPORT**

This support system lets you decide how much cable support you want and where you want it when assembling your transporter.

80cm

The cable support consists of an aluminum tube which is then assembled in the cart.



With the cable cart, you can organise all your cables easily. In addition, 80mm wide brackets prevent cables from bending too tightly and damaging internal wiring. Place several brackets next to each other or in line above each other for the most convenient layout. Cable studs can be mounted to any available Admiral cart.



Admiralstaging.com

For more info about our products contact your local dealer or visit our website.



**STAGE DECK DOLLY** 

This cost effective dolly is ideal for transporting up to six stage decks. The decks can be ergonomically tilted to prevent excess pressure on your back.

The locking bolt is the first safety measure for the decks and a lashing set ensures further safety during the transport. This cart is suitable for most 9cm thick stage elements.







#### **STAGE DECK TRANSPORTER PRO**

We believe this is the first transporter that fits underneath a 40cm stage!

The stage deck transport pro offers you the best options. You can load and unload the decks in an ergonomic way. After loading the decks, an extra bracket fastens the upper sides of the decks for transportation.



Rigid plastic parts secure each deck firmly onto the dolly and loose parts are a thing from the past. Last but not least, you can hide this transporter underneath a 40cm stage!

> Compatible with: Prolyte, Sixty82, Bütec.

scan to watch

Prolyte, Sixty82, Bütec.

StageDex dolly

for 1 m x 2 m decks.

Compatible with:



## STRONGBOY® UNIVERSAL TRUSS DOLLY

Our "Strong Boy" is a strong cart! Suitable for both 30 and 40 truss\*, the base is made of strong 2 and 3 mm steel. It's zinc coated to withstand the test of time and equipped with rubber studs for optimal friction of your truss. Hooks can be applied on each side of the dolly to secure the load.



Hook profile for straps.



Stackable.



Storage space for carriers.



Centre-to-centre distance.




5 m diameter truss.



### NEW

## STRONGGIRL FOR CIRCULAR TRUSS

We do believe, this is the first dolly for circular truss. The Stong Girg has a model for either 30 or 40 truss with a diameter from 2.5 meter up to 10 meter or more. And if you want to protect the head end of your trussing, this dolly can be equipped with wooden side panels.




Optional side walls.



Rubber studs prevent slipping.



Hook profile for straps.



10 m diameter truss.

Centre-to-centre distance.

Centre-to

**1 4** Admiralstaging.com

Design registered in the EU.

For more info about our products contact your local dealer or visit our website.

Admiralstaging.com

## BUILDING A RAMP RAMP SUPPORT AND SLOPE

A ramp is a sloping platform made of StageDex that are a 1x 2 meter rectangle. Flightcases and other materials can be rolled onto a stage using a ramp. Depending on the height of your stage, two or three pieces of a ramp can be linked together. These StageDex are connected and held in place by one of our Ramp Support options.



linkable if desired.

compact size and light weight makes the attachments very manageable. In addition, they hook themselves to the stage decks for optimal safety. The parts are provided with anti-slip rubbers and can be made

#### RUBBER TRUSS CARRIER®

This example perfectly demonstrates the benefits of our rubber truss carrier. Rubber studs are moulded around a rigid aluminium tube. These studs help the truss stack together easily and with improved stability\*. They are lightweight, damp sounds, and are easy to stack.

Rubber truss carriers are available for:

- Triangle truss 30
- Square truss 30
- Square truss 40

\* We do not recommend walking uphill without a strap around your truss dolly.



339 mm — 339 mm — 60 mm







#### **RAMP SUPPORT®**

Always struggling how to build a ramp to your stage? Not anymore. With the Admiral ramp support, you can build a ramp of either 4 m or 6 m in length using your decks. Ramp support is equipped with a unique adjustment feature so that you can use your standard round legs to build ramps ranging from 40 cm to 140 cm in height.

#### **UNIVERSAL RAMP SUPPORT®**

You will often only need one type of Ramp Support to build your desired ramp. The Universal Ramp Support has been designed to fit stages that are rising by 15 cm or 20 cm increments.


A matching set of legs is available for each length/height of the ramp.



60 cm - 120 cm

Ramp Support for 3 decks


Ramp support: Ramp Support for 2 decks









60 - 120 cm






3 decks setup


Stage height:












#### LIFTING WHEEL®

This lifting wheel provides many possibilities you never thought possible. The wheel moves up and down 27 mm and can be used for many different applications.


© Design registered in the EU.





#### TRUSS MOVER

By means of our truss attachment, you can rise truss frames and roll them from the stage as a riser!




#### **STAGE RISER**

This application is for use underneath a stage riser. In the past, these risers were moved around by using a stage leg with a mounted wheel.


Our system is different and gives you two advantages. Using halfcouplers, the lifting wheel can be mounted on a standard leg. When lowering the stage onto its own feet, you experience greater stability and the maximum load can be applied to your stagedeck.



If you have square podium legs, just drill two holes here and attach the wheel with two bolts.







#### **BOX RISER**

The mounting plate attachment is the solution that can attach the lifting wheels onto wood.





white. One roll contains 60m of deco molton. Available in 20 cm, 40 cm, 60 cm,

#### **JACK**

Jack, the Gripper for deco-molton.


To fit the deco-molton to your stage, we now have a handy tool available called Jack (the Gripper). Admiral developed a lifting system that allows the deco-molton roll to be lifted and turned around to unwind the cloth.




## **BACKDROPS**

You'll receive the best value for money with Admiral backdrops. The fabric is stronger than most 300 g/m<sup>2</sup> currently available on the market. Available in various sizes and easy to mount using the pre-existing black eyelets, which are placed every 25cm.

Available in two standard widths (3 and 6m) with a length of 3, 4, 5, or 6m.



High quality fabric.



For more info about our products contact your local dealer or visit our website.





Ø 38 cm



► YouTube scan to watch



#### **VINTAGE LUMINAIRE®**

This decorative light can have a globe diameter of 38 cm or 53 cm. It's possible to attach one or two brackets for different purposes.

Do you want to attach it to a stand or hang it onto a Freedom drop arm? Then just assemble one bracket. Do you want the spot light as a stand-alone fixture? Then assemble two brackets to place it on the floor.

Design registered in the EU.

#### **VINTAGE LUMINAIRE TRIPOD**

Naturally, a vintage luminaire has a vintage tripod. This tripod, with a hardwood base, fits perfectly with these fixtures. The tripod is specially designed for rental use. The metal top has a sturdy M10 bolt with wing nut for fast assembly of the luminaire. The tripod has a standard length of approximately 1 meter.

With an optional extension set, this tripod can be increased to 1.6 meters.





productions or for live bands to create a specific atmosphere. These lights are for decorative purposes and as such they are not meant to provide light.

The fixture has a golden reflector finish and two concentric black metal rings to provide that vintage spotlight look.

Admiralstaging.com



Makes you shine brighter.



To make you smile on stage.










photographers: Silvia Dalle Carbonare and Kristoffer Svenn


## **BASEPLATE COMBI**


ONE PLATE FOR ALL TRUSSES


This plate is equipped with both symmetrical and asymmetrical hole patterns. Usable for 30 and 40 truss, square and triangle. The asymmetrical pattern (for 30 truss) is excellent for setting up TV-screens along a wall. If you use the symmetrical pattern (both 30 and 40 truss) you can use it for tables, truss bridges or moving head bases.



(centre-to-centre distance 229 mm)









A-symmetrical

setup for displays.













For extra stability, a rubber adhesive mat can be applied underneath the metal baseplates. With cutouts for bolts and couplers, it will give you much more friction onto the floor. The 3M double sided tape will firmly stick the rubber mat onto the baseplate.

#### **BASEPLATE CART®**

The cleverly designed bottom element of this cart allows you to comfortably place the plates onto the car. At the last moment, the plates are tilted into a vertical position. Furthermore, sturdy 160 mm wheels ensure a smooth ride over thresholds. Aflightcase cover is optional. This 60 cm wide cart can transport four (10 mm) or six (6 and 8 mm) baseplates.










This holder is useful when you already have your own flightcase.

For 6, 8 and 10 mm baseplates.









### **SINGLE RIGGER**

Start building your light show around the Admiral single riggers and create a spectacular wall of light. The single downrigger is the simplest solution for a wonderful effect. Each Admiral length tube can be equipped with a M10 adapter to hook on your luminaires and couplers.







#### **FREEDOM DOWNRIGGERS**

Combine two elements (length profiles and hanging tubes) and make any type of downrigger possible. Each length profile can be extended. A downrigger with a drop of 6 m is no problem with the building blocks of the Admiral Freedom system.













Hanging tubes

Have you already gotten your hands on our downrigger system? Then you are one step away from using them as a lighting tower. You simply turn a downrigger upside down and slide them into our aluminium base. Your floor rack is born. You can use it as side light tower, moving head tower, or floor stand. You never bought so many applications in one. You can position your profiles symmetrically or asymmetrically into the foot.

Length profiles




Position your profiles symmetrically or asymmetrically into the foot.




You might have seen them before, but never this clever... The Admiral drop arm is extendable to any length (stability decreases while length increase). The drop arm can also be combined with hanging tubes. Imagine what lighting effects you can achieve with that!









Quick coupler Ø 48 -51mm WLL 250kg

G-clamp straight Ø 50mm WLL 50kg

C & G-clamps Ø 48 - 50mm 23cm / 40cm / 60cm

#### **CLAMPS AND COUPLERS**

Admiral supplies a vast array of clamps and couplers, from aluminum halfcouplers to swivel couplers with a WLL up to 750kg.

In addition, our well-known G and C

clamps are included. Fitted with a spring steel protector to keep your truss from damage when mounting the hooks.

Admiralstaging.com



### **ADMIRAL SLIDE**

### 3 STEPS TO COUPLE



The slide is designed to be a shortcut when connecting a hook onto a luminaire. The connection is made by sliding the aluminium part into the housing.

To secure the slide, you have to fixate the two parts by rotating a screw-knob. Unlocking the system needs a two step movement. At first you have to unscrew the knob, then pull a spring loaded leaver and pull out the hook.



Fast, Quick, QWICT®



We do have a very good reason to name this item Qwiqr ( read: quicker). Because this clamp is quick. Slide the hook into the housing and click! You will hear a double click before taking your hands away, and that's it.

Two outwards positioned indicators will show you the product is properly double locked. No further attention needed.

The inner block now is secured by two individual locks. Furthermore, the inner block is spring loaded to avoid backlash. It is that simple.



Disassembley of the parts is even quicker. Pull the hook backwards into the housing, press both locks and slide the hook outwards.

Design registered in the EU





#### **FLOOR STAND®**

The Admiral floor stand is again a game changer. It is stackable, anti-slip, and it can be mounted to 30-truss to hang your fixtures.


Available with a round tube for theatre hooks/half-couplers or a flat tube for use with Admiral slide.





#### **MULTIBRACKET®**

The Multibracket is the mounting bracket for your Funstrip or Sunstrip or similar fixtures. With this unique, patented mounting bracket, you can mount your strip in any position in your truss.



#### **COMING SOON**


#### **SAFETY CABLE**

All the Admiral safety cables comply with the BGV-C1 regulations.
Cables can be chosen with a galvanised finish or black finish. Mount the safety cable in a small loop to absorb the weight when falling. Accident avoided.

Safety cables are certificated in conformity with BGV-C1

#### **Types**

- 60 cm with 2 eyelets (1)
- 60 cm with 2 eyelets Black (2)
- 60 cm with 2 eyelets, loop and emergency shell (3)
- 60 cm with 2 eyelets, loop and emergency shell Black (4)
- 100 cm with 2 eyelets, loop and emergency shell (6)
- 100 cm with 2 eyelets, loop and emergency shell Black (4)





#### LIFTING BRACKET

Admiral's CE marked lifting brackets with a maximum lifting weight (WLL) of 500kg is available for 30 trusses, in two variations: for permanent or temporary installation.



# SNAKE® CABLE GUIDE

The latest development in the field of cable guides is the Snake. The Snake accommodates enough cables for power and signal. Pivoting hinges, moreover, ensure the cables can be smoothly bent while keeping a minimum diameter. Interlinking only 1m parts, any base can be configured.

Because of the innovative bending hinges, which make full use of an interlocking mechanism, back and forth movement of the truss while hoisting it up or down is almost a thing of the past. With its bronze bearings, this construction ensures years of enjoyment.

68 mm



31 mm

Gutter dimensions.



Available in black and zinc plated metal.



For single tube and both 30 and 40 truss.

base 2 m - height 5 m base 2 m - height 7 m base 3 m - height 5 m base 3 m - height 6 m base 3 m - height 7 m base 3 m - height 8 m base 3 m - height 9 m base 3 m - height 10 m base 3 m - height 11 m base 3 m - height 12 m base 4 m - height 12 m base 4 m - height 13 m base 4 m - height 14 m base 4 m - height 15 m base 4 m - height 16 m

base 2 m - height 3 m

Design registered in the EU.





Gutter dimensions.

## ADMRAL FOR FIXED INSTALLATIONS

Admiral has a number of different construction components for installing a grid. These include in height adjustable mounting brackets, wall mounts, and grid tube connectors.

A combination of bars with AC sockets, DMX connectors and grid tubing will create the ideal infrastructure for your theatre, concert venue, or pop centre.






**Grid Connector**For two tubes of 90 degrees (50 mm).



**Grid Brackets**Adjustable in height.



**Grid Tube Cover** Cover/plug for grid tube (50 mm).





**Grid Tube Joint** Length = 20 cm (for 50 mm tube).



**Grid Wall Mount** For 48-51 cm tubing.




**Mounting Clamp**For cable tray to
50 mm grid tubing.



Admiral offers an excellent bracket for trusses in a fixed installation. This mounting bracket is attached with wire brackets to firmly attach it onto your truss. Threaded rods can be applied as a single or double attachment to the ceiling.


XINMINUS SOUNDING





## ALL ALLE CABLE PROTECTOR 2,3 AND 5 CHANNELS

This product protects your expensive cables from vehicles and audiences. These protectors are designed for use in high traffic areas. They have a solid rubber base, a bright yellow cover and are available in a various number of channels. Corners are available for all models.





## ADMIRAL DMX

#### **XLR - DMX CABLES**

Admiral offers a series of good quality, costeffective DMX cables. The cables are available in 3- and 5- pole types and  $120\Omega$  impedance (DMX standard).



0.5 m / 1 m / 1.5 m / 2 m / 2.5 m /3 m/5 m/10 m/15 m/20 m

#### **XLR - DMX ADAPTER CABLE**

Switch with ease from 3 to 5 poles and vice versa.

To be able to recognize the adapters a coloured band is applied. The blue colour indicates 3 to 5 pin and the red colour indicated 5 to 3 pin.





#### **XLR - DMX CHASSIS**

3-pole and 5-pole male and female chassis are available.

These come packed per five.



#### **XLR - DMX CONNECTOR**

3-pole and 5-pole male and female connector parts are available.

These come packed per five.



# **CABLE WRAPS**


CABLE WRAP 170, 260, 380 AND 550

Bundle all your cables quickly, neatly, and efficiently ping system, the cable wraps will stay firmly in place around your cables. With a choice of four lengths and eight different colours, you can come up with endless applications for this product.

#### NEW

The 17 cm cable wrap to wrap smaller cables easier and quicker.







Cable wrap 260

Cable wrap 380 Lenght: 38 cm Packed per 5





**YouTube** 

scan to watch





6 cm

8 cm 16 cm 23 cm

#### TREE FIX

With this rubber band, you can guickly bundle cables in a truss or fly system. These rubber bands are provided with a hook in order to close the loop quickly. Available in various lengths.



